


Lab 04 Lab Report



```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Default.aspx.vb" Inherits="_Default" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
  <link rel="stylesheet" href="Styles/DefaultStyle.css" />
```

```
  <title>Pine Valley Furniture</title>
```

```
</head>
```

```
<body>
```

```
  <form id="form1" runat="server">
```

```
<div class="container">
```

```
  <div class="card">
```

```
    <h2>Lab 2</h2>
```

```
    <ul>
```

```
      <li>
```

```
        <a href="Demo.aspx">View Lab 2 Demo</a>
```

```
      </li>
```

```
      <li>
```

```
        <a href="Problem Statement.pdf" download>  
          Download Problem Statement
```

```
        </a>
```

```
      </li>
```

```
      <li>
```

```
        <a href="Report.pdf" download>  
          Download Lab Report
```

```
        </a>
```

```
      </li>
```

```
    </ul>
```

```

    </div>
  </div>
</form>
</body>
</html>

```

Products



```

<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Demo.aspx.vb"
Inherits="demo" %>

```

```

<!DOCTYPE html>

```

```

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title>Pine Valley Furniture - Home</title>
  <style>
    .header {
      background: black;
      color: white;
      padding: 10px;
      text-align: center;
    }

    .header a {
      color: white;
    }

    .main {
      display: flex;
      gap: 20px;
      margin-top: 20px;
    }

    .p1, .p2, .p3 {
      background-color: lightgrey;
      width: 250px;
    }
  </style>
</head>
<body>
  <div class="header">
    <a href="#">Home</a>
  </div>
  <div class="main">
    <div class="p1">
      <img alt="PDF icon" data-bbox="175 255 235 305"/>
      <p>Writing Pen</p>
      <p>Writing Pen description</p>
      <button>Add to Cart</button> <button>Buy</button>
    </div>
    <div class="p2">
      <img alt="PDF icon" data-bbox="355 255 415 305"/>
      <p>Writing Pen</p>
      <p>Writing Pen description</p>
      <button>Add to Cart</button> <button>Buy</button>
    </div>
    <div class="p3">
      <img alt="PDF icon" data-bbox="535 255 595 305"/>
      <p>Writing Pen</p>
      <p>Writing Pen description</p>
      <button>Add to Cart</button> <button>Buy</button>
    </div>
  </div>
</body>
</html>

```

```

padding: 15px;
text-align: center;
border-radius: 5px;
}
</style>
</head>
<body>
  <form id="form1" runat="server">
    <div>

      <div class="header">
        Pine Valley Furniture |
        <a href="Search.aspx">Search </a> |
        <a href="About.aspx">About </a> |
        <a href="Help.aspx">Help </a> |
        <a href="Registration.aspx">Register </a> |
        <a href="LogIn.aspx">Login</a>|
        <a href="AdminDashboard.aspx">Admin Dashboard -- wil be removed from here
later</a>
      </div>

      <h2>Products</h2>

      <div class="main">

        <div class="p1">
          
          <p>Writing Pen</p>
          <p>Writing Pen description</p>
          <div>
            <button>Add to Cart</button>
            <a href="Order.aspx">
              <button>Buy</button>
            </a>
          </div>
        </div>

        <div class="p2">
          
          <p>Writing Pen</p>
          <p>Writing Pen description</p>
          <div>
            <button>Add to Cart</button>
            <a href="Order.aspx">
              <button>Buy</button>
            </a>
          </div>
        </div>

        <div class="p2">
          
          <p>Writing Pen</p>
          <p>Writing Pen description</p>
          <div>
            <button>Add to Cart</button>

```

```



        <a href="Order.aspx">
        <button>Buy</button>
        </a>
    </div>
</div>
</div>

```

```

</div>
</form>
</body>
</html>

```



```

<%@ Page Language="VB" AutoEventWireup="false" CodeFile="Search.aspx.vb"
Inherits="Search" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
    <title>Product Search</title>

<style>
    body {

```

```

padding: 50px;
}
.container {
    background-color: #fff;
    padding: 20px;
    border-radius: 6px;
    width: 300px;
    background-color: lightgrey;
}
.h1 {
    text-align: center;
    font-size: 20px;
    margin-bottom: 15px;
}
.result {
    margin-top: 20px;
    display: flex;
    flex-direction: row;
    column-gap: 15px;
    padding: 20px;
    background-color: lightcyan;
    color: lightcoral;
}
.product {
    margin: 20px;
    height: 50px;
    width: 50px; background-color: light-blue;
    color: green;
    border: 1px solid grey;
    padding: 20px;
}
.product:hover {
    border: 1px solid black;
}

```

```

</style>
</head>
<body>
    <form id="form1" runat="server">
        <div class="container">
            <h1>Search Product</h1>

            <asp:TextBox ID="txtSearch" runat="server" placeholder="Enter product
name"></asp:TextBox>
            <asp:Button ID="btnSearch" runat="server" Text="Search"
OnClick="btnSearch_Click" />

```

```

<div class="results">
  <div class="product">Product 1</div>
  <div class="product">Product 2</div>
  <div class="product">Product 3</div>
</div>
</div>
</form>
</body>
</html>

```

Management Panels

<p>Catalogue</p> <p>Update catalogue.</p> <p>Go to Catalogue</p>	<p>Campaigns</p> <p>Create and manage marketing campaigns.</p> <p>Manage Campaigns</p>	<p>Insights</p> <p>View sales and business insights.</p> <p>View Insights</p>
---	---	--

Products



Writing Pen Writing Pen Writing Pen

Writing Pen description Writing Pen description Writing Pen description

```

<%@ Page Language="VB" AutoEventWireup="false" CodeFile="AdminDashboard.aspx.vb"
Inherits="AdminDashboard" %>

<!DOCTYPE html>

<html xmlns="http://www.w3.org/1999/xhtml">
<head runat="server">
  <title>Admin Dashboard</title>
</head>
<body>
  <form id="form1" runat="server">
    <div>

      <h3>Management Panels</h3>
      <div style="display: flex; gap: 20px; margin-top: 20px;">

        <div style="background-color: lightgrey; padding: 20px; width: 200px; text-align: center;">
          <h4>Catalogue</h4>
          <p>Update catalogue.</p>
          <a href="UpdateCatalogue.aspx">Go to Catalogue</a>

```

```
    </div>

    <div style="background-color:lightgrey; padding:20px; width:200px; text-align:center;">
        <h4>Campaigns</h4>
        <p>Create and manage marketing campaigns.</p>
        <a href="Campaign.aspx">Manage Campaigns</a>
    </div>

    <div style="background-color:lightgrey; padding:20px; width:200px; text-align:center;">
        <h4>Insights</h4>
        <p>View sales and business insights.</p>
        <a href="Insight.aspx">View Insights</a>
    </div>

</div>
```

<h2>Products</h2>

```
<div style="display:flex; gap:10px;">

    <div>
        
        <p>Writing Pen</p>
        <p>Writing Pen description</p>
    </div>

    <div>
        
        <p>Writing Pen</p>
        <p>Writing Pen description</p>
    </div>

    <div>
        
        <p>Writing Pen</p>
        <p>Writing Pen description</p>
    </div>

</div>
```

```
    </div>
</form>
</body>
</html>
```

Catalogue Update

Products



Name: Table

Quantity: 10



Name: Sofa

Quantity: 5

```
<%@ Page Language="VB" AutoEventWireup="false" CodeFile="UpdateCatalogue.aspx.vb" Inherits="UpdateCatalogue" %>
```

```
<!DOCTYPE html>
```

```
<html xmlns="http://www.w3.org/1999/xhtml">
```

```
<head runat="server">
```

```
<title></title>
```

```
</head>
```

```
<body>
```

```
<form id="form1" runat="server">
```

```
<div>
```

```
<h2>Catalogue Update</h2>
```

```
<button>Add Product</button>
```

```
<hr>
```

```
<h3>Products</h3>
```

```
<div>
  <br>
  Name: Table<br>
  Quantity: 10<br>
  <button>Edit</button>
  <button>Delete</button>
</div>

<hr>

<div>
  <br>
  Name: Sofa<br>
  Quantity: 5<br>
  <button>Edit</button>
  <button>Delete</button>
</div>
```

```
    </div>
  </form>
</body>
</html>
```

-----Other Code files are live at our website in Lab 4-----